

MÖLNLYCKE - WOUND CARE PRODUCTS

PRODUCT DESCRIPTION

AREAS OF USE

SIZE

CODE

PCS/BOX

BORDERED FOAM DRESSINGS

| | | | | | |
|---|--|--|--|---|--|
|   | <p>Mepilex® Border Flex / Oval Absorbent self-adherent foam dressing with 360° stretch Flex Technology</p>  | <ul style="list-style-type: none"> Moderate to heavily exuding wounds Oval shape for challenging body contours Diabetic foot ulcers Leg and foot ulcers Traumatic wounds, such as skin tears Pressure injury prevention* and treatment <p>* When a repositioning/offloading protocol is used</p> | <p>Square 7.5cm x 7.5cm 10cm x 10cm 12.5cm x 12.5cm 15cm x 15cm 15cm x 20cm</p> <p>Oval 7.8cm x 10cm 13cm x 16cm 15cm x 19cm</p> | <p>Square 595211 595311 595011 595411 595611</p> <p>Oval 583500 583300 583400</p> | <p>Square 10 10 10 10 10</p> <p>Oval 5 5 5</p> |
|  | <p>Mepilex® Border Heel Absorbent self-adherent foam dressing for the heel area</p> <p>Added benefits:</p> <ul style="list-style-type: none"> Thicker borders to minimise rolling and to allow efficient handling Optimised seal for enhanced protection of the high-risk heel area Enhanced coverage of high risk areas Additional handling tabs  | <ul style="list-style-type: none"> Moderate to heavily exuding wounds for the heel area Heel pressure injury and treatment (all stages) Diabetic foot ulcers Heel ulcers Traumatic wounds | <p>22cm x 23cm</p> | <p>282750</p> | <p>6</p> |
|  | <p>Mepilex® Border Sacrum Absorbent self-adherent foam dressing for the sacral area</p> <p>Added benefits:</p> <ul style="list-style-type: none"> Thicker borders to minimise rolling and to allow efficient handling Optimised gluteal seal for enhanced protection of the high-risk sacral area Enhanced coverage of high risk areas Additional handling tabs  | <ul style="list-style-type: none"> Moderate to heavily exuding wounds for the sacral area Sacral pressure injury prevention and treatment (all stages) | <p>16cm x 20cm 22cm x 25cm</p> | <p>282050 282450</p> | <p>5 5</p> |
|  | <p>Mepilex® Border Flex Lite Thin absorbent self-adherent foam dressing with 360° stretch Flex Technology</p>  | <ul style="list-style-type: none"> Non- to moderately exuding wounds Leg and foot ulcers Pressure injuries Surgical and traumatic wounds, e.g. abrasions, blisters and skin tears Protection of compromised and/or fragile skin | <p>4cm x 5cm 5cm x 12.5cm 7.5cm x 7.5cm 10cm x 10cm 15cm x 15cm</p> | <p>581011 581100 581200 581300 581500</p> | <p>10 5 5 5 5</p> |

MÖLNLYCKE - WOUND CARE PRODUCTS

PRODUCT DESCRIPTION

AREAS OF USE

SIZE

CODE

PCS/BOX

NON-BORDERED FOAM DRESSINGS

| | | | | | | | | |
|--|---|---|--|--|--|--|--|----------------------------|
|  | Mepilex® XT Highly conformable absorbent foam dressing, with specially designed exudate channels to assist in the absorption of thick exudate |  | <ul style="list-style-type: none"> • Low to moderately exuding wounds in all healing stages • Chronic wounds with thick exudate • Leg ulcers and diabetic foot ulcers • Pressure injuries • Traumatic wounds • Can be used under compression | 5cm x 5cm 10cm x 10cm 10cm x 20cm 15cm x 15cm 20cm x 20cm 20cm x 50cm | 211015 211100 211200 211300 211400 211500 | 5 5 5 5 5 2 | | |
| |  | | Mepilex® Highly conformable and absorbent foam dressing |  | <ul style="list-style-type: none"> • Low to moderately exuding wounds • Leg ulcers and diabetic foot ulcers • Pressure injuries • Traumatic wounds • Partial thickness burns • Can be used under compression | 5cm x 5cm 10cm x 10cm 10cm x 20cm 15cm x 15cm 20cm x 20cm 20cm x 50cm | 294015 294100 294200 294300 294400 294500 | 5 5 5 5 5 2 |
| |  | | Mepilex® Heel Absorbent foam dressing for the heel area |  | <ul style="list-style-type: none"> • A wide range of exuding wounds on the heel or malleolus • Foot ulcers / diabetic foot ulcers | 13cm x 20cm | 288100 | 5 |
| |  | | Mepilex® Lite Thin absorbent foam dressing |  | <ul style="list-style-type: none"> • Non- to low exuding wounds • Diabetic foot ulcers • Leg ulcers • Radiation skin reactions • Epidermolysis Bullosa | 6cm x 8.5cm 10cm x 10cm 15cm x 15cm 20cm x 50cm | 284000 284100 284300 284500 | 5 5 5 4 |
| |  | | Lyof foam® Max Polyurethane foam dressing |  | <ul style="list-style-type: none"> • Moderate to heavily exuding wounds • Leg ulcers • Pressure injuries | 7.5cm x 8.5cm 10cm x 10cm 15cm x 15cm 20cm x 20cm | 603200 603201 603204 603206 | 10 10 10 10 |

WOUND CONTACT LAYERS

| | | | | | | | | |
|--|--|---|---|---|--|--|--------------------------------------|---------------------|
|  | Mepitel® One Wound contact layer dressing with SafetaC® on one side |  | <ul style="list-style-type: none"> • Skin tears • Lacerations • Surgical incisions • Fixation of partial and full thickness grafts • Partial thickness burns • Diabetic foot ulcers • Venous and arterial leg ulcers | 5cm x 7.5cm 6cm x 7cm** 7.5cm x 10cm 9cm x 10cm** 13cm x 15cm** 10cm x 18cm 17cm x 25cm 24cm x 27.5cm 27.5cm x 50cm | 289100 289170 289300 289270 289470 289500 289700 289670 289750 | 10 5 10 5 5 10 5 5 2 | | |
| |  | | Mepitel® Wound contact layer dressing with SafetaC® on both sides |  | <ul style="list-style-type: none"> • Skin tears • Surgical incisions • Partial thickness burns • Fixation of partial and full thickness grafts • Diabetic foot ulcers, venous and arterial leg ulcers | 5cm x 7.5cm 7.5cm x 10cm 10cm x 18cm 20cm x 30cm | 290510 290710 291010 292005 | 10 10 10 5 |
| |  | | Mepilex® Transfer Exudate transfer foam dressing |  | <ul style="list-style-type: none"> • Highly exuding wounds • Difficult-to-dress areas • Radiation skin reactions • Epidermolysis Bullosa | 7.5cm x 8.5cm 10cm x 12cm 15cm x 20cm 20cm x 50cm | 294600 294700 294800 294502 | 5 5 5 4 |

MÖLNLYCKE - WOUND CARE PRODUCTS

PRODUCT DESCRIPTION





AREAS OF USE

SIZE

CODE

PCS/BOX



POST-OPERATIVE DRESSINGS

| | | | | | |
|--|---|--|-------------|--------|----|
|  | <p>Mepilex® Border Post-Op Self-adherent post-operative dressing with 360° stretch Flex Technology</p>  | <ul style="list-style-type: none"> • Low to heavily exuding wounds • Optimised for post-operative use and blood absorption • Surgical wounds, cuts and abrasions • Ideal for use over joints, such as hips and knees | 6cm x 8cm | 496100 | 10 |
| | | | 9cm x 10cm | 496200 | 10 |
| | | | 10cm x 15cm | 496300 | 10 |
| | | | 10cm x 20cm | 496400 | 10 |
| | | | 10cm x 25cm | 496450 | 10 |
| | | | 10cm x 30cm | 496600 | 10 |
| 10cm x 35cm | 496650 | 5 | | | |
|  | <p>Mepore® Film&Pad Transparent, shower-proof absorbent island dressing</p>  | <ul style="list-style-type: none"> • For a wide variety of wounds which have low to moderate exudate levels • Post-operative wounds • Excisions and sutures | 9cm x 15cm | 275500 | 30 |
| | | | 9cm x 20cm | 275600 | 30 |
| | | | 9cm x 25cm | 275700 | 30 |
| | | | 9cm x 35cm | 275900 | 25 |
| | | | | | |

FIBRE / ALGINATE DRESSINGS

| | | | | | |
|--|---|---|------------------------|--------|----|
|  | <p>Exufiber® Gelling fibre dressing with Hydrolock® Technology</p>  | <ul style="list-style-type: none"> • Leg ulcers and diabetic foot ulcers • Pressure injuries • Partial thickness burns • Surgical wounds • Donor sites • Malignant wounds | 5cm x 5cm | 709900 | 10 |
| | | | 10cm x 10cm | 709901 | 10 |
| | | | 15cm x 15cm | 709903 | 10 |
| | | | 20cm x 30cm | 709904 | 5 |
| | | | 4.5cm x 20cm | 709906 | 10 |
| | | | 1cm x 45cm [Cavity] | 709908 | 5 |
| 2cm x 45cm [Cavity] | 709909 | 5 | | | |
|  | <p>Melgisorb® Plus Highly absorbent alginate dressing</p>  | <ul style="list-style-type: none"> • Moderate to heavily exuding wounds • Pressure injuries • Venous and arterial leg ulcers • Diabetic foot ulcers • Donor sites • Post-operative wounds • Dermal lesions and other external wounds inflicted by trauma | 5cm x 5cm | 252000 | 10 |
| | | | 10cm x 10cm | 252200 | 10 |
| | | | 10cm x 20cm | 252500 | 10 |
| | | | 3cm x 45cm | 253500 | 5 |
| | | | [Cavity] | | |

ACTIVE DRESSING

| | | | | | |
|--|--|--|---------------|--------|----|
|  | <p>Mesalt® Sodium chloride impregnated dressing</p>  | <ul style="list-style-type: none"> • For the management of heavily draining and infected wounds in the inflammatory phase • Deep cavity wounds | 5cm x 5cm | 285580 | 30 |
| | | | 7.5cm x 7.5cm | 285780 | 30 |
| | | | 10cm x 10cm | 286080 | 30 |
| | | | 2cm x 1m | 285280 | 10 |
| | | | [Cavity] | | |

MÖLNLYCKE - WOUND CARE PRODUCTS

PRODUCT DESCRIPTION

AREAS OF USE

SIZE

CODE

PCS/BOX

ANTIMICROBIAL DRESSINGS

| | | | | | |
|--|---|--|--|--|---|
|  | <p>Mepilex® Border Ag Antimicrobial absorbent self-adherent foam dressing</p>   | <ul style="list-style-type: none"> Moderate to heavily exuding wounds Infected wounds Leg ulcers Pressure injuries Malignant wounds Surgical incisions | <p>7.5cm x 7.5cm 10cm x 10cm 15cm x 15cm 15cm x 20cm</p> <p>Surgical Sizing 10cm x 20cm 10cm x 25cm 10cm x 30cm</p> | <p>395200 395300 395400 395600</p> <p>395800 395700 395900</p> | <p>5 5 5 5</p> <p>5 5 5</p> |
|  | <p>Mepilex® Border Sacrum Ag Antimicrobial absorbent self-adherent foam dressing for the sacral area</p>   | <ul style="list-style-type: none"> Moderate to heavily exuding wounds for the sacral area where a self-adherent antimicrobial dressing is required | <p>18cm x 18cm 23cm x 23cm</p> | <p>382000 382400</p> | <p>5 5</p> |
|  | <p>Mepilex® Ag Antimicrobial absorbent foam dressing</p>   | <ul style="list-style-type: none"> Low to moderately exuding wounds Partial thickness burns Infected wounds Leg ulcers and foot ulcers Pressure injuries Can be used under compression | <p>10cm x 10cm 10cm x 20cm 15cm x 15cm 20cm x 20cm 20cm x 50cm</p> | <p>287110 287210 287310 287410 287510</p> | <p>5 5 5 5 2</p> |
|  | <p>Mepilex® Heel Ag Antimicrobial absorbent foam dressing for the heel area</p>   | <ul style="list-style-type: none"> Low to moderately exuding wounds Infected wounds on the foot or heel Diabetic foot ulcers Pressure injuries Can be used under compression | <p>13cm x 20cm</p> | <p>388100</p> | <p>5</p> |
|  | <p>Mepilex® Transfer Ag Antimicrobial compressed foam, exudate transfer dressing</p>   | <ul style="list-style-type: none"> Heavily exuding wounds Infected or malignant wounds Skin grafts and donor sites Partial thickness burns Leg ulcers and diabetic foot ulcers Difficult-to-dress areas | <p>7.5cm x 8.5cm 10cm x 12.5cm 12.5cm x 12.5cm 15cm x 20cm 20cm x 50cm</p> | <p>394000 394100 394700 394800 394500</p> | <p>10 5 5 10 2</p> |
|  | <p>Melgisorb® Ag Highly absorbent antimicrobial alginate dressing</p>  | <ul style="list-style-type: none"> Moderate to heavily exuding wounds Post-operative wounds Leg ulcers and diabetic foot ulcers Trauma wounds (dermal lesions, trauma injuries or incisions) Graft and donor sites Pressure injuries | <p>5cm x 5cm 10cm x 10cm 15cm x 15cm 20cm x 30cm 3cm x 44cm (Cavity)</p> | <p>256055 256105 256155 256205 256605</p> | <p>10 10 10 5 10</p> |
|  | <p>Exufiber® Ag+ Antimicrobial gelling fibre dressing with Hydrolock® Technology</p>  | <ul style="list-style-type: none"> Moderate to heavily exuding wounds Venous leg ulcers Diabetic foot ulcers Pressure injuries | <p>5cm x 5cm 10cm x 10cm 15cm x 15cm 20cm x 30cm 4.5cm x 20cm 2cm x 45cm (Cavity)</p> | <p>603401 603402 603403 603407 603405 603400</p> | <p>10 10 10 5 10 5</p> |

MÖLNLYCKE - WOUND CARE PRODUCTS

PRODUCT DESCRIPTION





AREAS OF USE

SIZE




CODE

PCS/BOX

SUPERABSORBENTS

| | | | | | |
|--|--|--|-----------------|--------|----|
|  | Mextra® Superabsorbent Superabsorbent dressing with a fluid-repellent backing  | <ul style="list-style-type: none"> Moderate to very heavily exuding wounds Can be used as a primary or secondary dressing where high absorbency is required, e.g. together with Mepitel®, Mepitel One or Mepilex® Transfer Use with Tubifast® for light retention | 12.5cm x 12.5cm | 610000 | 10 |
| | | | 12.5cm x 17.5cm | 610100 | 10 |
| | | | 12.5cm x 22.5cm | 610200 | 10 |
| | | | 17.5cm x 22.5cm | 610300 | 10 |
| | | | 22.5cm x 27.5cm | 610400 | 10 |
| | | | 22.5cm x 32.5cm | 610500 | 10 |
| 22.5cm x 42.5cm | 610600 | 10 | | | |
|  | Mesorb® Highly absorbent dressing with a fluid-repellent backing  | <ul style="list-style-type: none"> Moderate to very heavily exuding wounds Can be used as a primary or secondary dressing where high absorbency is required, e.g. together with Mepitel, Mepitel One or Mepilex Transfer Use with Tubifast for light retention | 10cm x 13cm | 677001 | 50 |
| | | | 13cm x 15cm | 677201 | 50 |
| | | | 10cm x 23cm | 677401 | 50 |
| | | | 15cm x 23cm | 677601 | 50 |
| | | | 23cm x 25cm | 677701 | 30 |
| | | | 23cm x 30cm | 677801 | 30 |

FILM DRESSINGS

| | | | | | |
|---|---|---|-------------|--------|-----|
|  | Mepitel® Film Breathable, transparent film dressing with Safetac® Technology  | <ul style="list-style-type: none"> Protects fragile and sensitive skin For fixation of primary dressings For use under aggressive tapes For use in radiotherapy Can be used as a protective dressing over IV sites | 6cm x 7cm | 296170 | 10 |
| | | | 10cm x 12cm | 296270 | 10 |
| | | | 10cm x 25cm | 296470 | 10 |
| | | | 15cm x 20cm | 296670 | 10 |
|  | Mepore® Film Breathable, transparent film dressing | <ul style="list-style-type: none"> Designed as a secondary fixation dressing and as a primary dressing for a wide range of clean wounds | 6cm x 7cm | 270600 | 100 |
| | | | 10cm x 12cm | 271500 | 70 |
| | | | 10cm x 25cm | 272500 | 20 |
| | | | 15cm x 20cm | 273000 | 10 |

ISLAND DRESSINGS

| | | | | | |
|--|---|--|--------------------|--------|----|
|  | Mepore® Absorbent island dressing  | <ul style="list-style-type: none"> For a wide variety of superficial wounds which have low to moderate levels of exudate Post-operative wounds Cuts and grazes | 5cm x 7cm | 672000 | 60 |
| | | | 6cm x 7cm | 670800 | 60 |
| | | | 8cm x 10cm | 672100 | 50 |
| | | | 9cm x 10cm | 670900 | 50 |
| | | | 8cm x 15cm | 672200 | 50 |
| | | | 9cm x 15cm | 671000 | 50 |
| | | | 9cm x 20cm | 671100 | 30 |
| | | | 9cm x 25cm | 671200 | 30 |
| | | | 9cm x 30cm | 671300 | 30 |
| 9cm x 35cm | 671400 | 30 | | | |
|  | Mepore® Pro Shower-proof, absorbent island dressing  | <ul style="list-style-type: none"> For a wide variety of superficial wounds which have low to moderate levels of exudate Where a shower-proof dressing is required Post-operative wounds Cuts and grazes | 6cm x 7cm | 670820 | 60 |
| | | | 9cm x 10cm | 670920 | 40 |
| | | | 9cm x 15cm | 671020 | 40 |
| | | | 9cm x 20cm | 671120 | 30 |
| | | | 9cm x 25cm | 671220 | 30 |
| | | | 9cm x 30cm | 671320 | 30 |
|  | Mepore® Film&Pad Transparent, shower-proof absorbent island dressing  | <ul style="list-style-type: none"> For a wide variety of wounds which have low to moderate exudate levels Where a shower-proof dressing is required Cuts and abrasions Post-operative wounds | 4cm x 5cm | 275100 | 85 |
| | | | 5cm x 7cm (Oval) | 275200 | 85 |
| | | | 5cm x 7cm (Square) | 275300 | 85 |
| | | | 9cm x 10cm | 275400 | 30 |
| | | | 9cm x 15cm | 275500 | 30 |
| | | | 9cm x 20cm | 275600 | 30 |
| | | | 9cm x 25cm | 275700 | 30 |
| | | | 9cm x 35cm | 275900 | 25 |

MÖLNLYCKE - WOUND CARE PRODUCTS

PRODUCT DESCRIPTION

AREAS OF USE

SIZE

CODE

PCS/BOX

BANDAGES

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|--|--|-----------|---|---------|---|---------|---|---------|---|---------|---|---------|---|---------|---|----------|---|-----------|---|-----------|--|---|---|
|  | <p>Tubifast® <small>WITH 2-WAY STRETCH TECHNOLOGY</small> Lightweight tubular retention bandage</p> | <ul style="list-style-type: none"> • Lightweight tubular dressing retention bandage that is ideal for any part of the body • Can be used for patch wrapping and as an undercast stockinette • Can be used under compression • For use as skin covering • Epidermolysis Bullosa | <p>10m roll RED 3.5cm x 10m GREEN 5cm x 10m BLUE 7.5cm x 10m YELLOW 10.75cm x 10m PURPLE 20cm x 10m</p> | <p>2434 2436 2438 2440 2444</p> | <p>1 1 1 1 1</p> | | | | | | | | | | | | | | | | | | | | | | |
|  | <p>Tubifast® Garments Ready-to-wear garments</p> | <ul style="list-style-type: none"> • Ready-to-wear garments for dressing retention and wet or dry wrapping, are available in full-sleeved vests, tights, leggings, socks and gloves • For children of six months to 14 years of age • With no tapes, pins or ties, Tubifast Garments are quick and easy to apply, and their 2-Way Stretch construction ensures complete freedom of movement, so aiding compliance. • Comfortable to wear under nightwear and ordinary clothes | <p>Vests 6-24 months 992007 2-5 yr 992008 5-8 yr 992009 8-11 yr 992010 11-14 yr 992011 Tights 6-24 months 992012 Leggings 2-5 yr 992013 5-8 yr 992014 8-11 yr 992015 11-14 yr 992016 Socks 1 size: 2-14yr 992017 Gloves Small child 5923</p> | <p>6 6 6 6 6 6 6 6 6 6 6</p> | <p>6 6 6 6 6 6 6 6 6 6</p> | | | | | | | | | | | | | | | | | | | | | | |
|  | <p>Tubigrip® Multi-purpose, elasticated tubular support bandage that provides firm support for sprains, strains and swelling</p> | <p>Size / Limb Circumference (cm)</p> <table border="1"> <tbody> <tr><td>A</td><td>10 - 14.5</td></tr> <tr><td>B</td><td>14.5 - 29</td></tr> <tr><td>C</td><td>22 - 35</td></tr> <tr><td>D</td><td>26 - 40</td></tr> <tr><td>E</td><td>29 - 46</td></tr> <tr><td>F</td><td>35 - 53</td></tr> <tr><td>G</td><td>40 - 62</td></tr> <tr><td>J</td><td>54 - 82</td></tr> <tr><td>K</td><td>70 - 113</td></tr> <tr><td>L</td><td>106 - 149</td></tr> <tr><td>M</td><td>119 - 167</td></tr> </tbody> </table> | A | 10 - 14.5 | B | 14.5 - 29 | C | 22 - 35 | D | 26 - 40 | E | 29 - 46 | F | 35 - 53 | G | 40 - 62 | J | 54 - 82 | K | 70 - 113 | L | 106 - 149 | M | 119 - 167 | <p>Natural (N) 1435 1436 1443 1437 1434 1438 1439 1440 1441 1442 1444</p> | <p>Beige (B) - 1449 1450 1451 1448 1452 1453 - - - -</p> | <p>N B 1 - 1 1 1 1 1 1 1 1 1 1 1 1 1 - 1 - 1 - 1 -</p> |
| A | 10 - 14.5 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B | 14.5 - 29 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C | 22 - 35 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D | 26 - 40 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | 29 - 46 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F | 35 - 53 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| G | 40 - 62 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| J | 54 - 82 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| K | 70 - 113 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| L | 106 - 149 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M | 119 - 167 | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | <p>Elset® 'S' Light compression bandage</p> | <ul style="list-style-type: none"> • Used to provide compression for the leg following vascular surgery and for general surgical and orthopaedic use • Specifically recommended for above and below knee stump bandaging | <p>Elset 'S' 10cm x 12m 15cm x 12m</p> | <p>993486 993487</p> | <p>12 12</p> | | | | | | | | | | | | | | | | | | | | | | |
|  | <p>Setopress® Lightweight high compression bandage</p> | <ul style="list-style-type: none"> • Used in the treatment of venous leg ulcers and associated conditions requiring graduated compression of the leg | <p>10cm x 3.5m</p> | <p>3505</p> | <p>12</p> | | | | | | | | | | | | | | | | | | | | | | |

MÖLNLYCKE - WOUND CARE PRODUCTS

PRODUCT DESCRIPTION




AREAS OF USE

SIZE





CODE

PCS/BOX




FIXATION

| | | | | | |
|--|--|--|-----------------|--------|---|
|  | Mepitac® Polyurethane tape with Safetac® Technology  | <ul style="list-style-type: none"> For fixation of medical devices, such as drains, tubes and probes Skin protection under devices | 2cm x 3m | 298300 | 1 |
| | | | 4cm x 1.5m | 298400 | 1 |
|  | Mefix® Self-adhesive fabric fixation tape | <ul style="list-style-type: none"> For fixation of a wide variety of dressings, tubes and cannulas | 10m roll | | |
| | | | x 2.5cm | 310299 | 1 |
| | | | x 5cm | 310599 | 1 |
| | | | x 10cm | 311099 | 1 |
| | | | x 15cm | 311599 | 1 |
| | | | x 20cm | 312000 | 1 |
| x 30cm | 313000 | 1 | | | |

SCAR THERAPY & DERMATOLOGY

| | | | | | |
|--|--|---|-------------|----------|----|
|  | Mepiform® Scar dressing with Safetac Technology  | <ul style="list-style-type: none"> Medical grade silicone dressing for the prevention and treatment of all scars, in particular keloid scars and/or hypertrophic scars | 4cm x 30cm | 293100 | 5 |
| | | | 5cm x 7.5cm | 293200 | 5 |
| | | | 10cm x 18cm | 293400 | 5 |
|  | Epaderm® Cream An emollient for dry skin conditions | <ul style="list-style-type: none"> A 2-in-1 emollient that can be used as a skin emollient, as well as a skin cleanser Used for eczema, psoriasis and all other dry skin conditions Suitable for all ages, including babies | 25g | 99400822 | 12 |
| | | | 50g | 99400851 | 12 |
| | | | 500g | 99400850 | 6 |
|  | Epaderm® Ointment An emollient for dry skin conditions | <ul style="list-style-type: none"> A 3-in-1 emollient that can be used as a skin emollient, a skin cleanser and a bath additive Used for eczema, psoriasis and all other dry skin conditions Suitable for all ages, including babies | 25g | 400861 | 12 |
| | | | 125g | 99400846 | 6 |
| | | | 500g | 99400847 | 6 |
| | | | 1kg | 99400818 | 6 |

OTHER DRESSINGS

| | | | | | |
|---|--|--|-------------|--------|-----|
|  | Mepore® IV Transparent, breathable IV film dressing | <ul style="list-style-type: none"> Intended for fixation of IV catheters Not intended for fixation of life-supporting devices | 5.5cm x 5cm | 274000 | 100 |
| | | | 8cm x 9cm | 274200 | 70 |
| | | | 10cm x 11cm | 274400 | 70 |
|   | Lyoforam® Max T Polyurethane foam dressing for use around tracheostomy tubes | <ul style="list-style-type: none"> A soft tracheostomy dressing that absorbs exudate / secretion and provides protection of the skin around the tracheostomy tube | 9cm x 9cm | 603207 | 10 |

MÖLNLYCKE - WOUND CARE PRODUCTS

PRODUCT DESCRIPTION

AREAS OF USE

SIZE

CODE

PCS/BOX

TURNING & POSITIONING SYSTEMS



Mölnlycke® Z-Flex® Heel Boot

To maintain offloading of heels overtime. The combination of positive air displacement and fluidised positioning helps offload the heel and spread the pressure evenly over the Achilles tendon

- Fully offloads the heel
- Positions feet in the neutral alignment
- Accommodates compression devices
- Quick access for heel inspection
- Thermal regulating material
- One size fits most

One size fits most
2 boots per box
8 boots per box

1400122
1400123

2
8



Mölnlycke® Z-Flo® Fluidized Positioner

To assist with patient positioning and offloading of at risk anatomical sites

- Redistributes pressure or offloads
- Keeps patients in position
- Mouldable to protect vulnerable areas
- * More sizes available for Paediatric and Neonatal

With Tab
41cm x 76cm
Without Tab
64cm x 91cm
30cm x 51cm
(Occipital)

1401003
1401005
1401007

1
1
1



Mölnlycke® Tortoise® Turning & Positioning System

To assist with turning and repositioning of patients

- Provides continuous pressure redistribution
- Supports a wide degree of turns to increase efficiency
- Can be used to create any degree of turn required by the patient's condition
- Reduces the risk of caregiver injury
- Reduces the risk of the patient falling or sliding down the bed
- Approved for lateral transfer and MRI to minimise lifting

Standard
Bariatric

1400800
1400801

1
1

WOUND IRRIGATION SOLUTION



Granudacyn®

Wound irrigation solution and gel for cleansing and moisturising acute, chronic and contaminated wounds

- All chronic wounds of any depths, such as diabetic foot ulcers, pressure injuries, venous leg ulcers, etc.
- All acute wounds, such as cuts, bite wounds, lacerations, abrasions, etc.
- Surgical wounds (intra-operative and post-operative)
- Wounds with exposed cartilage, tendons, ligaments and/or bones
- Superficial and partial thickness burns
- Radiation ulcers
- Fistulas and abscesses

Solution
50ml
250ml
500ml
1000ml
NPWT Solution
500ml
1000ml
Gel
50g
100g

360150
360100
360101
360102
360103
360104
360107
360108

20
15
12
6
12
6
12
12

NB: Please refer to the Instructions of Use prior to usage.

Visit [Mölnlycke ANZ YouTube channel](#) or [scan the QR](#) below for our product application guides.



SCAN ME

Find out more at www.molnlycke.com.au

You will be required to input the following code **1FtYrV** or your **AHPRA registration number** to access our websites.

The Mölnlycke, Elset, Epaderm, Exufiber, Granudacyn, Hydrolock, Lyofoam, Mefix, Melgisorb, Mepiform, Mepilex, Mepitac, Mepitel, Mepore, Mesalt, Mesorb, Mextra, Tubifast, Tubigrip, Safetac, Setopress, 2-Way Stretch, Tortoise, Z-Flo names and logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Z-Flex is a trademark used by Mölnlycke Health Care Group of Companies. ©2021 Mölnlycke Health Care. All rights reserved. www.molnlycke.com.au. Mölnlycke Health Care, 12 Narabang Way, Level 4, Belrose, NSW, 2085. Phone 1800 005 231. New Zealand Orders & Enquiries 0800 005 231. www.molnlycke.co.nz. AUWC_000729

