



Advance™, Advance Plus™ & Advance Plus Pocket™

Touch Free Pre-Lubricated Intermittent Catheters

Advance™

Touch Free Pre-Lubricated Intermittent Catheter

- **Protective tip** – bypasses the first 15 mm of the distal urethra, where the majority of the bacteria are present. Doubles as a guide for proper and simple insertion.
- **Touch-Free Technology** – Infection risk may be reduced as the catheter is not exposed to possible contamination (environmental or anatomical).
- **Red catheter ring cap** – helps keep the Touch-Free protective tip clean and protected after the package is opened.
- **Pre-lubricated gel reservoir** – lubricates the catheter. The gel amount can be user controlled.



Advance Plus™

Touch Free Pre-Lubricated Intermittent Catheter System

A Touch Free Pre-Lubricated Catheter System with Integrated Collection Bag

- Touch free sleeve and large handle
- Integrated 1500ml collection bag closed system

Touch free 1500 mL collection bag with large handle

Helps you freely handle the catheter while helping to shield it from potential contamination



Gel reservoir

Lets you control catheter lubrication without additional supplies

Protective tip

Helps the catheter bypass environmental bacteria

Closed system at an affordable price



Advance Plus Pocket™

Touch Free Pre-Lubricated Intermittent Catheter System

Discreet. Convenient. Easy to Use

Same features as Advance Plus and

- 60% smaller packaging
- Closed system
- Discreet, easy to store and carry

Touch Free Closed Catheter System





Advance™ Intermittent Catheter

Hollister Code	Size	Length	Box QTY
92084	8Fr	40 cm	25
92104	10Fr	40 cm	25
92124	12Fr	40 cm	25
92144	14Fr	40 cm	25
92164	16Fr	40 cm	25
92184	18Fr	40 cm	25
92062	6Fr	20 cm	25
92082	8Fr	20 cm	25
92102	10Fr	20 cm	25
92122	12Fr	20 cm	25
92142	14Fr	20 cm	25



Advance Plus™ Intermittent Catheter with integrated collection bag

Hollister Code	Size	Length	Box QTY
94104	10Fr	40 cm	25
94124	12Fr	40 cm	25
94144	14Fr	40 cm	25
94164	16Fr	40 cm	25
94184	18Fr	40 cm	25
94102	10Fr	20 cm	25
94122	12Fr	20 cm	25
94142	14Fr	20 cm	25
95124	12Fr - <i>Tiemann Tip</i>	40 cm	25
95144	14Fr - <i>Tiemann Tip</i>	40 cm	25
95164	16Fr - <i>Tiemann Tip</i>	40 cm	25





Advance Plus Pocket™ Intermittent Catheter with integrated collection bag

Hollister Code	Size	Length	Box QTY
93104	10Fr	40 cm	25
93124	12Fr	40 cm	25
93144	14Fr	40 cm	25
93164	16Fr	40 cm	25

What is your Intermittent Catheter exposing you to?

Laboratory tests compared traditional catheters with the Advance Touch Free Intermittent Catheter to determine whether the protective sleeve affects the degree of contamination of the catheter during preparation and insertion. Results showed that intermittent catheters with the hygienic feature of a Touch Free sleeve helped reduce the potential for external contamination during preparation and insertion. This may help reduce the risk of bacteria entering the urinary system, a cause of urinary tract infection.

Relative recovery of *Staphylococcus aureus* and *Escherichia coli*¹




Are public restrooms full of bacteria?

Often perceived to be environments harbouring lots of bacteria, restrooms have had a bad wrap or have they? BioCote took swabs from common restroom areas and analysed the results.

The Findings

Numbers of bacteria varied widely. See chart. In many cases germs are spread via touch. Areas can be contaminated either pre or post hand-washing taking place. The authors state that bacteria and mould can be found everywhere and they will

Counts of bacteria in public bathrooms



just keep multiplying and although not all may be harmful, the higher the count, the greater the risk of illness developing. (www.infectioncontroltoday.com)

The Implications

The Advance intermittent catheter from Hollister incorporates Protective Tip and Sleeve Technology which facilitates Clean Intermittent Catheterisation (CIC) technique for IC users. For more information contact your local Hollister Territory Manager.

Chart and image is courtesy of BioCote Ltd (UK) www.biocote.com/bathroom



Red catheter ring cap

Helps keep the Touch Free protective tip clean and protected after package is open; finger hole makes it easy to remove, even for users with limited manual dexterity; red oval shape doesn't roll if dropped.

Protective tip – for safe insertion



In most people, the greatest concentration of bacteria is located within the first 15 mm of the distal urethra. As the Touch Free protective tip is inserted into the urethra, the tip shields the sterile catheter from contact with these bacteria. When forwarded into the urethra, the sterile catheter bypasses the concentration of bacteria, reducing the risk of carrying it further into the urinary tract.

Contamination and Prevention in IC Treatment Video



Watch the Contamination and Prevention in IC Treatment Video and learn more about Hollister catheters with Tip & Sleeve Protection and how they are designed to help protect you from germs.

Scan the QR code or visit bit.ly/2CeaQiC

WARNING: To help reduce the potential for infection and/or other complications, do not reuse.

WARNING: If discomfort or any sign of trauma occurs, discontinue use immediately and consult your healthcare professional.

- Ready-to-use, pre-lubricated, single-use intermittent catheter
- Not made with natural rubber latex
- Protective tip and sleeve supports no-touch insertion technique
- 1500 ml collection pouch (Advance Plus and Advance Plus Pocket only)
- Gel reservoir
- 2 smooth catheter eyelets
- Colour-coded funnel

INDICATIONS FOR USE

This intermittent catheter is a flexible tubular device that is inserted through the urethra by male, female, and paediatric patients who need to drain urine from the bladder.

PRECAUTION: Please consult your healthcare professional before using this product if any of the following conditions are present:

- Severed urethra
- Pronounced stricture
- Urethritis – inflammation of the urethra
- Epididymitis – inflammation of the epididymis (testicle tube)
- Unexplained urethral bleeding
- False passage
- Prostatitis – inflammation of the prostate gland

PRECAUTION: Self-catheterisation should follow the plan of care and advice given by your healthcare professional and be carried out only in accordance with the instructions for use provided. Because catheterisation frequency varies by person, the recommended frequency of your catheterisation should be provided by your healthcare professional. For any other questions about your catheterisation, please contact your healthcare professional.

NOTE: Store boxes in a flat position and at normal room temperature.

For more information please contact Customer Care:

1800 880 851

www.hollister.com.au